

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s) : Richard KOMURIAN et al.

Group Art Unit: 3747

Appln. No. : 10/599,732
(National Stage of PCT/JP 2005/051558)

Examiner: Keith COLEMAN

I.A. Filed : April 7, 2005

Confirmation No. : 3337

For : REGULATING DEVICE OF THE FLUID OUTLET CHAMBER TYPE

AMENDMENT & RESPONSE UNDER 37 CFR § 1.111

Commissioner for Patents
U.S. Patent and Trademark Office
Customer Service Window, Mail Stop Amendment
Randolph Building
401 Dulany Street
Alexandria VA 22314

In response to the Official Action dated December 26, 2008, setting a shortened three-month statutory period for response to expire on March 26, 2009, the period for reply being extended to expire on June 26, 2009 by the accompanying three-month Request for Extension of Time, Applicants respectfully request reconsideration and withdrawal of the outstanding rejections in view of the herein-contained remarks. However, if any extension of time is necessary, this is an express request for any necessary extension of time and authorization to charge any required extension of time fee or any other fees which may be required to preserve the pendency of the present application to Deposit Account No. 19-0089.

Amendments to the Claims begin on page 2 of this document.

Remarks begin on page 7 of this document.